


# GRINDER AND POLISHER(ADVANCED TYPE) CODE MLP-GP305



- Replaceable double wheels, rotation direction can be selected
- Multi sample holder, pneumatic single point loading, automatic abrasive distribution
- Adjustable speed
- Water cooling device and abrasive cleaning nozzle prevent samples from overheating and destroying structure
- ABS case and stainless steel parts, anti-corrosion, easy to clean
- Metallographic samples can be roughly ground, finely ground, roughly polished and finely polished




silicon carbide paper(**included**)



polishing cloth(**included**)



magnetic pad(**included**)



anti-stick disc(**included**)

## SPECIFICATION

Wheel diameter	Ø250mm(Customizable Ø300mm)
Wheel rotation speed	50~1000r/min(stepless adjustable), 150r/min, 300r/min(two fixed speeds)
Wheel rotation direction	Clockwise or counterclockwise
Grinding head speed	50~150r/min(stepless adjustable)
Pressure range	5~60N
Operating number	6
Operating time	0~995s
Sample diameter	Ø30mm(Customizable Ø22mm, Ø25mm, Ø30mm, Ø40mm, Ø45mm, Ø50mm)
Air pressure	0.6~0.9MPa
Power supply	AC220V, 50Hz
Input power	1.1KW
Dimension	758×785×680mm
Weight	125kg

**STANDARD DELIVERY**

<b>Main unit</b>	1pc
<b>Silicon carbide paper</b>	20pcs each, (240, 250, 400, 800, 1200), 100 pcs in total
<b>Polishing cloth</b>	3pcs each(velvet silk, woolen fabric), 6pcs in total
<b>Polishing agent</b>	1pc(W2.5, 500ml)
<b>Spray polish agent</b>	1pc(W2.5, 350ml)
<b>Magnetic pad</b>	2pcs(Ø250mm)
<b>Anti-stick disc</b>	3pcs(Ø250mm)

**OPTIONAL ACCESSORY**

<b>Silicon carbide paper</b>	<b>MLP-GP260-S□□*</b>	50 pcs/box, select granularity: 120, 180, 240, 400, 600, 800, 1000, 1200, 1500, 2000
<b>Polishing cloth</b>	<b>MLP-GP260-CLT</b>	15 pcs/box, long velvet silk material
	<b>MLP-GP305-CLT</b>	15 pcs/box, woolen fabric
<b>Polishing agent</b>	<b>MLP-GP260-D□□*</b>	500ml, select granularity (µm): W40, W28, W20, W14, W9, W7, W5, W3.5, W2.5, W1.5, W1.0, W0.5, W0.25
<b>Spray polish agent</b>	<b>MLP-GP305-D□□*</b>	350ml, select granularity (µm): W40, W28, W20, W14, W10, W7, W5, W3.5, W2.5, W1.5, W1.0, W0.5, W0.25
<b>Magnetic pad</b>	<b>MLP-GP280-PAD</b>	Ø250mm
<b>Anti-stick disc</b>	<b>MLP-GP280-DISC</b>	Ø250mm

\*□□ is granularity specification, for example, code MLP-GP260-D40 stands for diamond polishing agent 40µm granularity.